



Motor Oil 5W-30 Premium Synthetic GM / Opel

Safety Data Sheet

05000GM

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 6-8-2010 Revision date: 12-2-2014 version: 5.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Motor Oil 5W-30 Premium Synthetic GM / Opel
Product code : 05000GM

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use
Use of the substance/mixture : Automotive care products
Function or use category : Lubricants and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

MPM International Oil Company
Cyclotronweg 1
2629 HN Delft - Nederland
T +31 (0)15 2514030 - F +31 (0)15 2514031
info@mpmoil.nl - www.mpmoil.nl

1.4. Emergency telephone number

Emergency number : +31 (0)15 2514030 (08.00 - 17.00 GMT+1)

Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	Beaumont Hospital Beaumont Road 9 Dublin	: +353 1 8379964	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	0870 243 2241	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment H412
— Chronic Hazard, Category 3

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

CLP Signal word : -
Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects
Precautionary statements (CLP) : P102 - Keep out of reach of children.
P273 - Avoid release to the environment.
P501 - Dispose of contents/container to officially registered waste disposal company.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

Motor Oil 5W-30 Premium Synthetic GM / Opel

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Phosphorodithioic acid, mixed 0,0-bis(1,3-dimethylbutyl and iso-Pr)esters, zinc salts	(CAS-No.) 84605-29-8 (EC-No.) 283-392-8 (REACH-no) 01-2119493626-26	< 1,15	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Branched Alkylfenol (M=1)	(CAS-No.) 121158-58-5 (EC-No.) 310-154-3 (REACH-no) 01-2119513207-49	< 0,15	Skin Irrit. 2, H315 Repr. 2, H361f Aquatic Acute 1, H400 Aquatic Chronic 1, H410
diphenylamine	(CAS-No.) 122-39-4 (EC-No.) 204-539-4 (EC Index-No.) 612-026-00-5	< 0,1	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation:dust,mist), H331 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Specific concentration limits:

Name	Product identifier	Specific concentration limits
Phosphorodithioic acid, mixed 0,0-bis(1,3-dimethylbutyl and iso-Pr)esters, zinc salts	(CAS-No.) 84605-29-8 (EC-No.) 283-392-8 (REACH-no) 01-2119493626-26	(6,25 =<C < 100) Skin Irrit. 2, H315 (10 =<C < 12,5) Eye Irrit. 2, H319 (12,5 =<C < 100) Eye Dam. 1, H318

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation	: Not required.
After skin contact	: Wash with plenty of soap and water.
After eye contact	: In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart.
After ingestion	: Do NOT induce vomiting. Rinse mouth. Get immediate medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
------------------	--

4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: powder, alcohol-resistant foam, water spray, carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Although this substance has flammability data, it is difficult to ignite in air and is classified as non-flammable.
-------------	---

5.3. Advice for firefighters

Precautionary measures fire	: Do not enter fire area without proper protective equipment, including respiratory protection.
Other information	: Use water spray/stream to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Keep away from sources of ignition - No smoking.
------------------	--

6.1.1. For non-emergency personnel

Protective equipment	: Wear suitable protective clothing and eye/face protection.
----------------------	--

6.1.2. For emergency responders

Protective equipment	: Wear respiratory protection. Wear suitable protective clothing and gloves.
----------------------	--

6.2. Environmental precautions

Avoid release to the environment. Prevent spreading over great surfaces (e.g. by damming or installing oil booms). Notify authorities if liquid enters sewers or public waters.

Motor Oil 5W-30 Premium Synthetic GM / Opel

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.3. Methods and material for containment and cleaning up

For containment	: Prevent spreading over great surfaces (e.g. by damming or installing oil booms).
Methods for cleaning up	: Clean up with absorbent material (for example sand, sawdust, neutral absorbent granule, silica gel).
Other information	: Can be slippery on hard, smooth walking area.

6.4. Reference to other sections

Information on disposal - see Section 13. Information on personal protective equipment - see Chapter 8. Information on safe handling - see Section 7.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Remove all sources of ignition.
Hygiene measures	: When using do not eat, drink or smoke. Wash hands before breaks and at the end of work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Provide for sufficient ventilation and punctiform suction at critical points.
Storage conditions	: Store in original container.
Incompatible products	: Do not use with strong oxidizing agents, nor with strong acids or strong bases.
Storage temperature	: < 40 °C
Storage area	: Ensure adequate ventilation of the storage area. Keep container tightly closed and dry.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Technical measures:

If suction of the immediate vicinity is impossible or insufficient, adequate airing of the working place must be ensured.

Materials for protective clothing:

Suitable material: neoprene, nitrile rubber

Hand protection:

Wear suitable gloves.

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing.

Respiratory protection:

Not necessary with sufficient ventilation

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Oily.
Colour	: brown.
Odour	: characteristic.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: -39 °C
Boiling point	: No data available
Flash point	: 232 °C COC

Motor Oil 5W-30 Premium Synthetic GM / Opel

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 855 g/l @ 15°C
Solubility	: Water: practically insoluble
Log Pow	: No data available
Viscosity, kinematic	: 69 mm ² /s @ 40C
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal use.

10.2. Chemical stability

The product is stable at normal handling- and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

None under normal use.

10.5. Incompatible materials

Oxidizing substances. Acids and bases.

10.6. Hazardous decomposition products

On burning: release of harmful/irritant gases/vapours e.g.: carbon monoxide - carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Phosphorodithioic acid, mixed 0,0-bis(1,3-dimethylbutyl and iso-Pr)esters, zinc salts (84605-29-8)	
LD50 oral rat	3600 mg/kg OECD 401
LD50 dermal rat	20000 mg/kg OECD 402

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met)
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

Motor Oil 5W-30 Premium Synthetic GM / Opel	
Viscosity, kinematic	69 mm ² /s @ 40C

SECTION 12: Ecological information

12.1. Toxicity

Phosphorodithioic acid, mixed 0,0-bis(1,3-dimethylbutyl and iso-Pr)esters, zinc salts (84605-29-8)	
LC50 fish 1	4,5 mg/l Oncorhynchus mykiss
LC50 fish 2	46 mg/l Cyprinodon variegatus

Motor Oil 5W-30 Premium Synthetic GM / Opel

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Phosphorodithioic acid, mixed 0,0-bis(1,3-dimethylbutyl and iso-Pr)esters, zinc salts (84605-29-8)	
EC50 Daphnia 1	23 mg/l
EC50 Daphnia 2	0,8 mg/l @21d
EC50 other aquatic organisms 2	10000 mg/l @0.1d - Chlorophyta
EC50 72h algae (1)	21 mg/l @3d - Chlorophyta
NOEC (acute)	1,8 mg/l @4d - Oncorhynchus mykiss
NOEC (chronic)	10 mg/l @2d - Daphnia
NOEC chronic fish	0,4 mg/l @21d - Daphnia
NOEC chronic algae	10 mg/l @3d - Chlorophyta

Branched Alkylfenol (M=1) (121158-58-5)	
LC50 fish 1	3,2 mg/l
EC50 Daphnia 1	0,072 mg/l
NOEC chronic fish	1 mg/l

diphenylamine (122-39-4)	
LC50 fish 1	3,79 mg/l @ 96 h
EC50 Daphnia 1	0,31 mg/l @ 48 h
EC50 other aquatic organisms 2	1,5 mg/l @ 72 h , Algae
NOEC (chronic)	0,16 mg/l @ 21 d (Daphnia Magna)

12.2. Persistence and degradability

Phosphorodithioic acid, mixed 0,0-bis(1,3-dimethylbutyl and iso-Pr)esters, zinc salts (84605-29-8)	
Persistence and degradability	Poorly biodegradable.
Biodegradation	1,5 % @28d OECD TG 301 B

Branched Alkylfenol (M=1) (121158-58-5)	
Persistence and degradability	Not readily biodegradable. 10 % biodegradation . (CO2 evolution). 56 days.

diphenylamine (122-39-4)	
Biodegradation	26 % @ 28d Closed bottle

12.3. Bioaccumulative potential

Phosphorodithioic acid, mixed 0,0-bis(1,3-dimethylbutyl and iso-Pr)esters, zinc salts (84605-29-8)	
Log Kow	0,56 Measurements
Bioaccumulative potential	not bioaccumulable.

Branched Alkylfenol (M=1) (121158-58-5)	
Bioconcentration factor (BCF REACH)	209 - 1601

diphenylamine (122-39-4)	
Bioconcentration factor (BCF REACH)	51 - 253
Log Kow	3,4 @ 0.1d
Bioaccumulative potential	Moderate bioconcentration.

12.4. Mobility in soil

Phosphorodithioic acid, mixed 0,0-bis(1,3-dimethylbutyl and iso-Pr)esters, zinc salts (84605-29-8)	
Soil	No information available.

Branched Alkylfenol (M=1) (121158-58-5)	
Log Koc	4,4 - 4,67
Soil	No data available.

diphenylamine (122-39-4)	
Mobility in soil	365
Log Koc	2,54
Soil	Low mobility (soil).

12.5. Results of PBT and vPvB assessment

Component	
Phosphorodithioic acid, mixed 0,0-bis(1,3-dimethylbutyl and iso-Pr)esters, zinc salts (84605-29-8)	This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.
Branched Alkylfenol (M=1) (121158-58-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

No additional information available

Motor Oil 5W-30 Premium Synthetic GM / Opel

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Waste disposal according to official state regulations.
European List of Waste (LoW) code : 13 02 00 - Waste engine, gear and lubricating oils. 13 02 05- Mineral-based non-chlorinated engine, gear and lubricating oils. 15 01 10 Packaging containing residues of or contaminated by dangerous substances.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG
14.1. UN number	
Not applicable	Not applicable
14.2. UN proper shipping name	
Not applicable	Not applicable
14.3. Transport hazard class(es)	
Not applicable	Not applicable
Not applicable	Not applicable
14.4. Packing group	
Not applicable	Not applicable
14.5. Environmental hazards	
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No
No supplementary information available	

14.6. Special precautions for user

- Overland transport

No data available

- Transport by sea

No data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Other information : Specific Concentration limits (84605-29-8)
Skin Irrit. 2: 6.25% ≤ C ≤ 100%
Eye Irrit. 2: 10% < C ≤ 12.5%
Eye Dam. 1: 12.5% < C ≤ 100%.

Full text of H- and EUH-statements:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1

Motor Oil 5W-30 Premium Synthetic GM / Opel

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H301	Toxic if swallowed
H311	Toxic in contact with skin
H315	Causes skin irritation
H318	Causes serious eye damage
H331	Toxic if inhaled.
H361f	Suspected of damaging fertility
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

SDS MPM REACH

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product