

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date: 13/07/2015 version: 17.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product form : Mixture

Product name : Motor Cleaner Aerosol

Product code · A102 Type of product : Aerosol Vaporizer : Aerosol

Relevant identified uses of the substance or mixture and uses advised against 1.2.

1.2.1. Relevant identified uses

: Professional use Main use category

Use of the substance/mixture : Automotive care products

Uses advised against 1.2.2.

No additional information available

Details of the supplier of the safety data sheet

MPM International Oil Company Cyclotronweg 1

2629 HN Delft - Nederland T+31 (0)15 2514030 - F+31 (0)15 2514031

info@mpmoil.nl - www.mpmoil.nl

1.4. **Emergency telephone number**

Emergency number : +31 (0)15 2514030 (08.00 - 17.00)

Country	Official advisory body	Address	Emergency number
Ireland	National Poisons Information Centre Beaumont Hospital	Beaumont Hospital Beaumont Road 9 Dublin	: +353 1 8379964
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Centre Hospitalier Universitaire de Constantine	Avonley Road SE14 5ER London	0870 243 2241

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol 1 H222;H229 Skin Irrit. 2 H315 Skin Sens. 1 H317 STOT SE 3 H336 Asp. Tox. 1 H304 Aquatic Chronic 2 H411 Full text of hazard classes and H-statements : see section 16

2.2. **Label elements**

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS07

CLP Signal word : Danger.

Hazardous ingredients : Kerosine (petroleum), hydrodesulfurized; (R)-p-mentha-1,8-diene, d-limonene

Hazard statements (CLP) : H222 - Extremely flammable aerosol

H229 - Pressurised container: May burst if heated

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

18/02/2016 EN (English) 1/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H336 - May cause drowsiness or dizziness

H411 - Toxic to aquatic life with long lasting effects

Precautionary statements (CLP)

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P251 - Do not pierce or burn, even after use

P261 - Avoid breathing spray, vapours

P264 - Wash hands, forearms and face thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P272 - Contaminated work clothing should not be allowed out of the workplace

P273 - Avoid release to the environment

P280 - Wear protective gloves

P302+P352 - IF ON SKIN: Wash with plenty of water, soap

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 - Call a doctor, a POISON CENTER if you feel unwell

P321 - Specific treatment (see supplemental first aid instruction on this label)

P332+P313 - If skin irritation occurs: Get medical advice/attention
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention
P362+P364 - Take off contaminated clothing and wash it before reuse

P391 - Collect spillage

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P410+P412 - Protect from sunlight. Do no expose to temperatures exceeding 50°C/ 122°F P501 - Dispose of contents/container to officially registered waste disposal company

2.3. Other hazards

Adverse physicochemical, human health and environmental effects

Prolonged/repetitive skin contact may cause skin defattening or dermatitis. Harmful: may cause lung damage if swallowed.

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cycloalkanes,aromatics (2-25%)	(EC no) 925-653-7	20 - 25	Asp. Tox. 1, H304 Aquatic Chronic 3, H412
Kerosine (petroleum), hydrodesulfurized	(CAS No) 64742-81-0 (EC no) 265-184-9	20 - 25	Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
isobutane	(CAS No) 75-28-5 (EC no) 200-857-2 (EC index no) 601-004-00-0 (REACH-no) 01-2119485395-27	10 - 20	Flam. Gas 1, H220 Compressed gas, H280
Hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclic aromates (2-25%)	(EC index no) 919-164-8	10 - 20	Asp. Tox. 1, H304 Aquatic Chronic 3, H412
(R)-p-mentha-1,8-diene, d-limonene	(CAS No) 5989-27-5 (EC no) 227-813-5 (EC index no) 601-029-00-7	10 - 20	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
propane	(CAS No) 74-98-6 (EC no) 200-827-9 (EC index no) 601-003-00-5 (REACH-no) 01-2119486944-21	2,5 - 10	Flam. Gas 1, H220 Compressed gas, H280
xylene	(CAS No) 1330-20-7 (EC no) 215-535-7 (EC index no) 601-022-00-9	2,5 - 10	Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT RE 2, H373 Asp. Tox. 1, H304
Hydrocarbons, C11-C14, n-alkanes, cyclic, <2% aromates	(EC no) 926-141-6	2,5 - 10	Asp. Tox. 1, H304
butane	(CAS No) 106-97-8 (EC no) 203-448-7 (EC index no) 601-004-00-0 (REACH-no) 01-2119474691-32	1 - 2,5	Flam. Gas 1, H220 Compressed gas, H280

Full text of H-statements: see section 16

18/02/2016 EN (English) 2/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation : Take victim to fresh air, in a quiet place and if necessary take medical advice.

After skin contact : After contact with skin, take off immediately all contaminated clothing, and wash immediately

with plenty of water and soap.

After eye contact : In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes

holding eyelids apart. Subsequently consult an ophthalmologist.

After ingestion : Do NOT induce vomiting. Get immediate medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Powder. Carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : May form flammable/explosive vapour-air mixture. On heating/burning: release of (highly) toxic

gases/vapours e.g.: carbon monoxide - carbon dioxide.

Explosion hazard : Vapours may form explosive mixtures with air. Heat from a fire could result in drum bursting.

5.3. Advice for firefighters

Protection during firefighting : Self-contained breathing apparatus with an air line.

Other information : Cool containers / tanks with spray water if possible. Do not allow water used to extinguish fire

to enter drains or waterways.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Keep public away. Keep away from sources of ignition - No smoking.

6.1.1. For non-emergency personnel

Protective equipment : Wear suitable protective clothing and eye/face protection. Wear respiratory protection.

Emergency procedures : Provide adequate ventilation.

6.1.2. For emergency responders

Protective equipment : Wear respiratory protection. Wear suitable protective clothing and eye/face protection.

6.2. Environmental precautions

Notify authorities if liquid enters sewers or public waters. Do not flush into surface water or sewer system. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Prevent spreading over great surfaces (e.g. by damming or installing oil booms).

Methods for cleaning up : Clean up with absorbent material (for example sand, sawdust, neutral absorbent granule, silica

gel).

Other information : Ensure adequate ventilation.

6.4. Reference to other sections

Information on disposal - see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : If suction of the immediate vicinity is impossible or insufficient, adequate airing of the working

place must be ensured. Avoid contact with skin and eyes. Take precautionary measures against static discharge. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Do not spray on an open

flame or other ignition source.

Hygiene measures : When using do not eat, drink or smoke.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Store in a well-ventilated place. Keep container tightly closed.

Storage conditions : Protect from heat and direct sunlight.

Prohibitions on mixed storage : Observe official regulations on storing packagings with pressurized containers.

Storage area : Keep container tightly closed in a cool, well-ventilated place. Store according to local

legislation.

18/02/2016 EN (English) 3/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

xylene (1330-20-7)			
EU	IOELV TWA (mg/m³)	210 mg/m³	
EU	IOELV TWA (ppm)	50 ppm	
EU	IOELV STEL (mg/m³)	442 mg/m³	
EU	IOELV STEL (ppm)	100 ppm	
butane (106-97-8)			
EU	IOELV TWA (mg/m³)	1430 mg/m³	
EU	IOELV TWA (ppm)	600 ppm	

8.2. Exposure controls

Personal protective equipment : High gas/vapour concentration: gas mask with filter type AX. Gloves. Safety glasses.

Materials for protective clothing : Suitable material: nitrile rubber. Thickness of glove material: >= 0,8 mm

Hand protection : In the cases of special applications, it is recommended to check the chemical resistance with

the manufacturer of the gloves

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR)	3 (> 60 minutes)	>= 0.8 mm		

Eye protection : Tightly sealed safety glasses
Skin and body protection : Wear suitable protective clothing

Respiratory protection : If technical suction or ventilation measures are not possible or are insufficient, protective

breathing apparatus must be worn







Other information

: When using do not eat, drink or smoke. Wash hands before breaks and at the end of work. Do not breathe vapour or spray. Avoid contact with skin and eyes. Remove/Take off immediately all contaminated clothing.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : No data available

Appearance Aerosol. : colourless. Colour Odour : characteristic. No data available Odour threshold No data available Relative evaporation rate (butylacetate=1) · No data available : Not determined. Melting point Freezing point : Not determined. Boiling point Not determined.

Flash point : Not applicable as aerosol.

Auto-ignition temperature : > 200 °C

Decomposition temperature : No data available Flammability (solid, gas) : No data available Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : No data available

Density : 738 g/l

Solubility : Water: partially miscible Organic solvent:100 %

Log Pow : No data available

18/02/2016 EN (English) 4/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Viscosity, kinematic : No data available Viscosity, dynamic : No data available

Explosive properties : Product is not explosive. Flammable or explosive vapour/air mixtures may be formed.

Oxidising properties : No data available Explosive limits : No data available

9.2. Other information

VOC content : 738 g/l

Other properties : Product is not explosive. Vapours may form explosive mixtures with air.

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

The product is stable at normal handling- and storage conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Keep cool. Protect from sunlight. Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

On burning: release of harmful/irritant gases/vapours e.g.: carbon monoxide - carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

propane (74-98-6)		
LC50 inhalation rat (Vapours - mg/l/4h)	20 mg/l/4h	
xylene (1330-20-7)		
LD50 oral rat	4300 mg/kg	
LD50 dermal rabbit	2000 mg/kg	
LC50 inhalation rat (ppm)	21,7 mg/l/4h	

butane (106-97-8)

LC50 inhalation rat (Vapours - mg/l/4h) 658 mg/l/4h

isobutane (75-28-5)

LC50 inhalation rat (Vapours - mg/l/4h) > 50 mg/l/4h

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Not classified

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : May cause drowsiness or dizziness.

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : May be fatal if swallowed and enters airways.

Motor Cleaner Aerosol

Vaporizer Aerosol

Potential adverse human health effects and : Irritating. May be narcotic.

symptoms

SECTION 12: Ecological information

12.1. Toxicity

General : Do not release in groundwater, surfacewater or sewerage. Danger of drinking-water pollution

(ground water).

Ecology - water : Toxic for Fish.

18/02/2016 EN (English) 5/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

xylene (1330-20-7)		
EC50 Daphnia 1	165 mg/l	
ErC50 (other aquatic plants)	/48h 165 mg/l (daphnia)	
(R)-p-mentha-1,8-diene, d-limonene (5989-27-5)		
EC50 Daphnia 1	0,67 mg/l	

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other adverse effects : Toxic to fish.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Do not dispose of with domestic waste.

Waste disposal recommendations : Remove to an authorized waste treatment plant.

Waste materials : Waste disposal according to official state regulations.

European List of Waste (LoW) code : 15 01 04 - metallic packaging

16 05 04* - gases in pressure containers (including halons) containing dangerous substances

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (IMDG) : 1950 : 1950

14.2. UN proper shipping name

Proper Shipping Name (ADR) : AEROSOLS
Proper Shipping Name (IMDG) : AEROSOLS

Transport document description : UN 1950 AEROSOLS, 2.1, (D), ENVIRONMENTALLY HAZARDOUS

Transport document description (IMDG) : UN 1950 AEROSOLS, 2.1, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 2.1
Danger labels (UN) : 2.1



IMDG

Transport hazard class(es) (IMDG) : 2.1
Danger labels (IMDG) : 2.1



18/02/2016 EN (English) 6/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : 5F
Limited quantities (ADR) : 1I
Transport category (ADR) : 2
Tunnel restriction code (ADR) : D

- Transport by sea

Limited quantities (IMDG) : SP277
EmS-No. (Fire) : F-D
EmS-No. (Spillage) : S-U

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC content : 738 g/l

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Aerosol 1	Aerosol, Category 1
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Compressed gas	Gases under pressure : Compressed gas
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Gas 1	Flammable gases, Category 1
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, Category 1
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H220	Extremely flammable gas.
H222	Extremely flammable aerosol

18/02/2016 EN (English) 7/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Flammable liquid and vapour
Pressurised container: May burst if heated.
Contains gas under pressure; may explode if heated
May be fatal if swallowed and enters airways.
Harmful in contact with skin.
Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye irritation.
Harmful if inhaled.
May cause drowsiness or dizziness.
May cause damage to organs through prolonged or repeated exposure.
Very toxic to aquatic life.
Very toxic to aquatic life with long lasting effects.
Toxic to aquatic life with long lasting effects.
Harmful to aquatic life with long lasting effects.

SDS MPM REACH

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

18/02/2016 EN (English) 8/8