



Diesel Detox Professional

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 13/08/2014

Revision date: 13/08/2014

version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Diesel Detox Professional
Product code : AD08000

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Function or use category : Fuel additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

MPM International Oil Company
Cyclotronweg 1
2629 HN Delft - Nederland
T +31 (0)15 2514030 - F +31 (0)15 2514031
info@mpmoil.nl - www.mpmoil.nl

1.4. Emergency telephone number

Emergency number : +31 (0)15 2514030 (08.00 - 17.00)

Country	Official advisory body	Address	Emergency number
Ireland	National Poisons Information Centre Beaumont Hospital	Beaumont Hospital Beaumont Road 9 Dublin	: +353 1 8379964
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Centre Hospitalier Universitaire de Constantine	Avonley Road SE14 5ER London	0870 243 2241

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Asp. Tox. 1 H304
Aquatic Chronic 3 H412

Full text of hazard classes and H-statements : see section 16

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS08

CLP Signal word : Danger.
Hazardous ingredients : HEAVY NAPHTA (HYDROCARBONS), Hydrotreated
Hazard statements (CLP) : H304 - May be fatal if swallowed and enters airways
H412 - Harmful to aquatic life with long lasting effects
Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand
P102 - Keep out of reach of children
P301+P310 - IF SWALLOWED: immediately call a POISON CENTER or doctor/physician
P331 - Do NOT induce vomiting
P501 - Dispose of contents/container to officially registered waste disposal company
EUH-statements : EUH066 - Repeated exposure may cause skin dryness or cracking

2.3. Other hazards

No additional information available

Diesel Detox Professional

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
HEAVY NAPHTHA (HYDROCARBONS), Hydrotreated	(CAS No) 64742-48-9 (EC no) 265-150-3 (EC index no) 649-327-00-6	80 - 90	Asp. Tox. 1, H304
2-ETHYLHEXYL NITRATE	(CAS No) 27247-96-7 (EC no) 248-363-6 (REACH-no) 01-2119539586-27	10 - 25	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Aquatic Chronic 2, H411
		0,1 - 5	Eye Irrit. 2, H319
2-Ethylhexanol	(CAS No) 104-76-7 (EC no) 203-234-3 (REACH-no) 01-2119487289-20	0,1 - 2,5	Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General	: Never give anything by mouth to an unconscious person.
After inhalation	: Remove to fresh air and keep at rest in a position comfortable for breathing. In case of unconsciousness place in unconscious position and seek medical advice.
After skin contact	: After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap. Change contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
After eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, consult a specialist.
After ingestion	: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician. Aspiration hazard. If victim is at risk of losing consciousness, position and transport on their side.

4.2. Most important symptoms and effects, both acute and delayed

After inhalation	: Irritation of the respiratory tract. Vapours may cause drowsiness and dizziness.
After skin contact	: Frequent or prolonged contacts may defat and dry the skin, leading to discomfort and dermatitis.
After eye contact	: Eye irritation.
After ingestion	: Aspiration hazard. pulmonary oedema. Ingestion may cause nausea, vomiting and diarrhea.

4.3. Indication of any immediate medical attention and special treatment needed

Entering the lungs by ingestion or vomiting may cause severe lung damage. Subsequent observance for pneumonia and lung oedema.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: powder, alcohol-resistant foam, water spray, carbon dioxide.
Unsuitable extinguishing media	: High power water jet.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: On heating/burning: release of (highly) toxic gases/vapours e.g.: carbon monoxide - carbon dioxide. May form flammable/explosive vapour-air mixture.
-------------	--

5.3. Advice for firefighters

Precautionary measures fire	: Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
Other information	: Cool containers / tanks with spray water if possible. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Diesel Detox Professional

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Provide adequate ventilation. Remove ignition sources. Do not breathe gas/fumes/vapour/spray.

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Do not release in groundwater, surfacewater or sewerage. Make sure spills can be contained (e.g. sump pallets or kerbed areas). Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Stop leak if safe to do so. Prevent spreading over great surfaces (e.g. by damming or installing oil booms).

Methods for cleaning up : Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

6.4. Reference to other sections

Information on personal protective equipment - see Chapter 8. Information on disposal - see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Obtain special instructions before use. Provide adequate ventilation. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge.

Hygiene measures : When using do not eat, drink or smoke. Avoid all unnecessary exposure. Wash hands before breaks and at the end of work. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep only in the original container in a cool, well-ventilated place.

Storage conditions : Keep container tightly closed. Keep cool. Store in a dry place.

Prohibitions on mixed storage : Oxidizing agents.

Storage area : Store according to local legislation.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

HEAVY NAPHTA (HYDROCARBONS), Hydrotreated (64742-48-9)

EU	IOELV TWA (mg/m ³)	1200 mg/m ³
----	--------------------------------	------------------------

Additional information : Workplace exposure limit (WEL) of the total hydrocarbon solvent content of the mixture (RCP method according to EH40) 1200mg/m³

8.2. Exposure controls

Technical measures : If suction of the immediate vicinity is impossible or insufficient, adequate airing of the working place must be ensured. If technical suction or ventilation measures are not possible or are insufficient, protective breathing apparatus must be worn.

Materials for protective clothing : Type of chemical protective gloves to choose depends on the concentration and quantity of dangerous substances as well as on work place specifications. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Suitable material: nitrile rubber

Hand protection : Wear suitable gloves. DIN EN 374

Eye protection : Safety glasses

Skin and body protection : Wear suitable protective clothing, gloves and eye/face protection

Respiratory protection : If technical suction or ventilation measures are not possible or are insufficient, protective breathing apparatus must be worn. Suitable respiratory protective equipment: Full-/Half-/Quarter-Masks (DIN EN 136/140)

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Diesel Detox Professional

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Colour	: amber.
Odour	: characteristic.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: ≈ 61 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Water: practically insoluble
Log Pow	: No data available
Viscosity, kinematic	: < 7 mm ² /s @ 40°C
Viscosity, dynamic	: No data available
Explosive properties	: Flammable or explosive vapour/air mixtures may be formed. Product is not explosive.
Oxidising properties	: No data available
Explosive limits	: 0,6 - 6 vol %

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The product is stable at normal handling- and storage conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

aerosol or mist generation. No naked flames, sparks, and do not smoke.

10.5. Incompatible materials

Strong oxidizing agent.

10.6. Hazardous decomposition products

None under normal conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

ATE CLP (oral)	2000,000 mg/kg
ATE CLP (dermal)	2000,000 mg/kg
ATE CLP (vapours)	20,000 mg/l/4h
ATE CLP (dust,mist)	5,000 mg/l/4h

HEAVY NAPHTA (HYDROCARBONS), Hydrotreated (64742-48-9)

LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (Vapours - mg/l/4h)	> 5 mg/l/4h

2-ETHYLHEXYL NITRATE (27247-96-7)

LD50 oral rat	> 9640 mg/kg
LD50 dermal rabbit	4820 mg/kg
LC50 inhalation rat (mg/l)	> 4,6 mg/l/4h

Diesel Detox Professional

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2-Ethylhexanol (104-76-7)	
LD50 oral rat	2049 mg/kg
LD50 dermal rat	> 3000 mg/kg OECD 402
LC50 inhalation rat (mg/l)	2,7 mg/l/4h

Skin corrosion/irritation	: Frequent or prolonged contacts may defat and dry the skin, leading to discomfort and dermatitis
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

2-Ethylhexanol (104-76-7)	
NOAEL (chronic, oral, animal/male, 2 years)	750 mg/kg bodyweight
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified

2-Ethylhexanol (104-76-7)	
NOAEL (oral, rat, 90 days)	≈ mg/kg bodyweight/day
Aspiration hazard	: May be fatal if swallowed and enters airways.

Diesel Detox Professional	
Viscosity, kinematic	< 7 mm ² /s @ 40°C

SECTION 12: Ecological information

12.1. Toxicity

HEAVY NAPHTA (HYDROCARBONS), Hydrotreated (64742-48-9)	
LC50 fish 1	> 100 mg/l @96h
EC50 Daphnia 1	> 1000 mg/l @48h

2-ETHYLHEXYL NITRATE (27247-96-7)	
LC50 fish 1	1,88 mg/l @96h Brachydanio rerio
EC50 Daphnia 1	> 12,6 mg/l @48h Daphnia magna
EC50 other aquatic organisms 1	> 12,6 mg/l @72h Algae

2-Ethylhexanol (104-76-7)	
LC50 fish 1	17,1 mg/l @96h Leuciscus idus
EC50 Daphnia 1	39 mg/l @48h Daphnia magna
EC50 other aquatic organisms 1	11,5 mg/l @72h Algae Scenedesmus subspicatus

12.2. Persistence and degradability

HEAVY NAPHTA (HYDROCARBONS), Hydrotreated (64742-48-9)	
Persistence and degradability	Readily biodegradable.
Biodegradation	70 % @28d

2-ETHYLHEXYL NITRATE (27247-96-7)	
Persistence and degradability	Poorly biodegradable.
Biodegradation	0 % @28d

2-Ethylhexanol (104-76-7)	
Persistence and degradability	Readily biodegradable.
Biodegradation	> 95 % @5d

12.3. Bioaccumulative potential

HEAVY NAPHTA (HYDROCARBONS), Hydrotreated (64742-48-9)	
Log Pow	5 - 6,7

2-ETHYLHEXYL NITRATE (27247-96-7)	
Bioconcentration factor (BCF REACH)	1332
Log Pow	> 0 (3,74 - 5,24)

2-Ethylhexanol (104-76-7)	
Bioconcentration factor (BCF REACH)	25,33
Log Kow	2,9

12.4. Mobility in soil

Diesel Detox Professional

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2-ETHYLHEXYL NITRATE (27247-96-7)

Log Koc	3,8
---------	-----

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)	: Disposal must be done according to official regulations.
Waste treatment methods	: Hand over to officially registered waste disposal company. Recycle the material as far as possible. Waste suitable for incineration.
Waste materials	: Packing which cannot be properly cleaned must be thrown away.
European List of Waste (LoW) code	: 13 07 03* - other fuels (including mixtures)

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	: Not applicable
----------------------------------	------------------

IMDG

Transport hazard class(es) (IMDG)	: Not applicable
-----------------------------------	------------------

14.4. Packing group

Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable

14.5. Environmental hazards

Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

14.6. Special precautions for user

- Overland transport

No data available

- Transport by sea

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions
Contains no substance on the REACH candidate list
Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

Diesel Detox Professional

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking

SDS MPM REACH

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product