

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 13/08/2014 Revision date: 13/08/2014 : version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Automatic transmission Flush

Product code : AD15000

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Automotive care products

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

MPM International Oil Company Cyclotronweg 1

2629 HN Delft - Nederland

T +31 (0)15 2514030 - F +31 (0)15 2514031

info@mpmoil.nl - www.mpmoil.nl

1.4. Emergency telephone number

Emergency number : +31 (0)15 2514030 (08.00 - 17.00)

Country	Official advisory body	Address	Emergency number
Ireland	National Poisons Information Centre Beaumont Hospital	Beaumont Hospital Beaumont Road 9 Dublin	: +353 1 8379964
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Centre Hospitalier Universitaire de Constantine	Avonley Road SE14 5ER London	0870 243 2241

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Asp. Tox. 1 H304

Full text of hazard classes and H-statements : see section 16

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS08

CLP Signal word : Danger.

Hazardous ingredients : Distillates (petroleum), hydrotreated light naphthenic Hazard statements (CLP) : H304 - May be fatal if swallowed and enters airways

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P301+P310 - IF SWALLOWED: immediately call a POISON CENTER or doctor/physician

P331 - Do NOT induce vomiting

P405 - Store locked up

P501 - Dispose of contents/container to officially registered waste disposal company

EUH-statements : EUH066 - Repeated exposure may cause skin dryness or cracking

2.3. Other hazards

No additional information available

18/02/2016 EN (English) 1/6

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated light naphthenic	(EC no) 265-156-6	90 - 100	Asp. Tox. 1, H304

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General : Never give anything by mouth to an unconscious person.

After inhalation : Remove to fresh air and keep at rest in a position comfortable for breathing. In case of

unconsciousness place in unconscious position and seek medical advice.

After skin contact : After contact with skin, take off immediately all contaminated clothing, and wash immediately

with plenty of water and soap. Change contaminated clothing. If skin irritation or rash occurs:

Get medical advice/attention.

After eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If irritation persists, consult a specialist.

After ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or

doctor/physician. Aspiration hazard. If victim is at risk of losing consciousness, position and

transport on their side.

4.2. Most important symptoms and effects, both acute and delayed

After inhalation : Irritation of the respiratory tract. Vapours may cause drowsiness and dizziness.

After skin contact : Frequent or prolonged contacts may defat and dry the skin, leading to discomfort and

dermatitis.

After eye contact : Eye irritation.

After ingestion : Aspiration hazard. pulmonary oedema. Ingestion may cause nausea, vomiting and diarrhea.

4.3. Indication of any immediate medical attention and special treatment needed

Entering the lungs by ingestion or vomiting may cause severe lung damage. Subsequent observance for pneumonia and lung oedema.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : powder, alcohol-resistant foam, water spray, carbon dioxide.

Unsuitable extinguishing media : High power water jet.

5.2. Special hazards arising from the substance or mixture

Fire hazard : On heating/burning: release of (highly) toxic gases/vapours e.g.: carbon monoxide - carbon

dioxide. May form flammable/explosive vapour-air mixture.

5.3. Advice for firefighters

Other information

Precautionary measures fire : Do not enter fire area without proper protective equipment, including respiratory protection.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

: Cool containers / tanks with spray water if possible. Collect contaminated fire extinguishing

water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Provide adequate ventilation. Remove ignition sources. Do not breathe

gas/fumes/vapour/spray

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Do not release in groundwater, surfacewater or sewerage. Make sure spills can be contained (e.g. sump pallets or kerbed areas). Notify authorities if liquid enters sewers or public waters.

18/02/2016 EN (English) 2/6

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.3. Methods and material for containment and cleaning up

For containment : Stop leak if safe to do so. Prevent spreading over great surfaces (e.g. by damming or installing

oil booms).

Methods for cleaning up : Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding

agents).

6.4. Reference to other sections

Information on personal protective equipment - see Chapter 8. Information on disposal - see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Obtain special instructions before use. Provide adequate ventilation. Keep away from sources

of ignition - No smoking. Take precautionary measures against static discharge.

Hygiene measures : When using do not eat, drink or smoke. Avoid all unnecessary exposure. Wash hands before

breaks and at the end of work. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep only in the original container in a cool, well-ventilated place.

Storage conditions : Keep container tightly closed. Keep cool. Store in a dry place.

Prohibitions on mixed storage : Oxidizing agents.

Storage area : Store according to local legislation.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional information : Based on ACGIH TLV, a concentration of 5 mg/m3 oilspray (TWA, 8 hour workday) is

recommended

8.2. Exposure controls

Technical measures : If suction of the immediate vicinity is impossible or insufficient, adequate airing of the working

place must be ensured. If technical suction or ventilation measures are not possible or are

insufficient, protective breathing apparatus must be worn.

Materials for protective clothing : Type of chemical protective gloves to choose depends on the concentration and quantity of

dangerous substances as well as on work place specifications. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which

differ for each manufacturer. Suitable material: nitrile rubber

Hand protection : Wear suitable gloves. DIN EN 374

Eye protection : Safety glasses

Skin and body protection : Wear suitable protective clothing, gloves and eye/face protection

Respiratory protection : If technical suction or ventilation measures are not possible or are insufficient, protective

breathing apparatus must be worn. Suitable respiratory protective equipment: Full-/Half-

/Quarter-Masks (DIN EN 136/140)

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : amber.
Odour : slight.

Odour threshold : No data available pH : No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available Freezing point : No data available Boiling point : No data available

Flash point : 140 °C

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available
Vapour pressure : No data available
Relative vapour density at 20 °C : No data available

18/02/2016 EN (English) 3/6

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Relative density : No data available

Density 880 g/l

Solubility : Insoluble in water. Log Pow : No data available Viscosity, kinematic : 8 mm²/s @ 40°C Viscosity, dynamic No data available Explosive properties : Product is not explosive.

Oxidising properties : None.

Explosive limits : No data available

Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

Chemical stability

The product is stable at normal handling- and storage conditions.

Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

Conditions to avoid

aerosol or mist generation. No naked flames, sparks, and do not smoke.

Incompatible materials

Strong oxidizing agent.

Hazardous decomposition products

On burning: release of harmful/irritant gases/vapours e.g.: carbon monoxide - carbon dioxide.

SECTION 11: Toxicological information

Information on toxicological effects 11.1.

: Not classified Acute toxicity

> This product is formulated with highly refined mineral oils which are considered under IARC as not carcinogenic. It was the IP 346 test showed that all oils in this product contains less than 3% extractable substances

Entering the lungs by ingestion or vomiting may cause severe lung damage

Automatic transmission Flush	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000
LC50 inhalation rat (mg/l)	5 - 50 mg/l/4h
Skin corrosion/irritation	: Frequent or prolonged contacts may defat and dry the skin, leading to discomfort and dermatitis

Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Data not validated Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

> This product is formulated with highly refined mineral oils which are considered under IARC as not carcinogenic. It was the IP 346 test showed that all oils in this product contains less than

3% extractable substances

: Not classified Reproductive toxicity Specific target organ toxicity (single exposure) Not classified Specific target organ toxicity (repeated Not classified

exposure)

Aspiration hazard : May be fatal if swallowed and enters airways.

Automatic transmission Flush	
Viscosity, kinematic	8 mm²/s @ 40°C

SECTION 12: Ecological information

Toxicity

Automatic transmission Flush	
LC50 fish 1	100 - 1000 mg/l

18/02/2016 EN (English) 4/6

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Automatic transmission Flush	
EC50 other aquatic organisms 1	> 1000 mg/l

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.

Waste treatment methods : Hand over to officially registered waste disposal company. Recycle the material as far as

possible. Waste suitable for incineration.

Waste materials : Packing which cannot be properly cleaned must be thrown away.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable Packing group (IMDG) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

No data available

- Transport by sea

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

18/02/2016 EN (English) 5/6

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:

Asp. Tox. 1	Aspiration hazard, Category 1
H304	May be fatal if swallowed and enters airways.
EUH066	Repeated exposure may cause skin dryness or cracking

SDS MPM REACH

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

18/02/2016 EN (English) 6/6