



# **Compressor Oil 46**

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 6-10-2010 Revision date: 25-1-2018 Supersedes: 9-10-2014 version: 5.0

Product name Product code 1.2. Rele 1.2.1. Rele Main use categ Function or us 1.2.2. Use No additional i 1.3. Deta	: 48 vant identified uses of the substance vant identified uses lory : Pr	ofessional use ydraulic fluids and additives	gainst	
Product code 1.2. Rele 1.2.1. Rele Main use cates Function or us 1.2.2. Use No additional i 1.3. Deta	: 48 vant identified uses of the substance vant identified uses lory : Pr a category : Hy s advised against nformation available	or mixture and uses advised a rofessional use ydraulic fluids and additives	gainst	
1.2.Relet1.2.1.ReletMain use catedFunction or us1.2.2.UseNo additional i1.3.Deta	vant identified uses of the substance vant identified uses ory : Pr e category : Hy s advised against nformation available	or mixture and uses advised a rofessional use ydraulic fluids and additives	gainst	
1.2.1.ReleMain use categFunction or us1.2.2.UseNo additional i1.3.Deta	vant identified uses   lory : Pr   e category : Hy   e advised against   oformation available	ofessional use ydraulic fluids and additives	gainst	
1.2.1.ReleMain use categFunction or us1.2.2.UseNo additional i1.3.Deta	vant identified uses   lory : Pr   e category : Hy   e advised against   oformation available	ofessional use ydraulic fluids and additives	gainst	
Main use categ Function or us 1.2.2. Use No additional i 1.3. Deta	a category : Pr e category : Hy s advised against nformation available	ydraulic fluids and additives		
Function or us 1.2.2. Use No additional i 1.3. Deta	a dvised against nformation available	ydraulic fluids and additives		
1.2.2.UseNo additional i1.3.Deta	advised against nformation available			
No additional i 1.3. Deta	formation available	hant		
No additional i 1.3. Deta	formation available	had		
1.3. Deta		haat		
	ils of the supplier of the safety data s			
MPM Internation	· · · · · · · · · · · · · · · · · · ·			
MPM International Oil Company				
Cyclotronweg 1 2629 HN Delft - Nederland				
T +31 (0)15 2514030 - F +31 (0)15 2514031				
	I - www.mpmoil.nl			
1.4. Emergency telephone number				
Emergency nu	tiber +3	31 (0)15 2514030 (08.00 - 17.00	GMT+T)	
Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre	Beaumont Hospital Beaumont Road 9 Dublin	: +353 1 8379964	
	Beaumont Hospital	Avonley Road	0070 040 0044	
United Kingd	om Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	SE14 5ER London	0870 243 2241	

# **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment H412 — Chronic Hazard, Category 3 Full text of H statements : see section 16

# Adverse physicochemical, human health and environmental effects

No additional information available

# 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]			
CLP Signal word	:-		
Hazard statements (CLP)	: H412 - Harmful to aquatic life with long lasting effects.		
Precautionary statements (CLP)	: P273 - Avoid release to the environment. P501 - Dispose of contents/container to officially registered waste disposal company.		
EUH-statements	: EUH208 - Contains Arylamine(90-30-2). May produce an allergic reaction.		

#### 2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients			
3.1.	Substances		
Not applic	able		
3.2.	Mixtures		

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Alkylphenol	(CAS-No.) 128-39-2 (EC-No.) 204-884-0 (REACH-no) 01-2119490822-33	0,1 - 0,99	Skin Irrit. 2, H315 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
	(CAS-No.) 64742-94-5 (EC-No.) 265-198-5 (EC Index-No.) 649-424-00-3	0,1 - 0,99	STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Arylamine	(CAS-No.) 90-30-2 (EC-No.) 201-983-0	0,1 - 0,24	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
naphthalene	(CAS-No.) 91-20-3 (EC-No.) 202-049-5 (EC Index-No.) 601-052-00-2	0,1 - 0,24	Acute Tox. 4 (Oral), H302 Carc. 2, H351 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

#### Full text of H-statements: see section 16

SECTION 4: First aid measures				
4.1. Description of first aid measures				
General	: In case of accident or if you feel unwell, seek medical advice immediately (show safety data sheet if possible).			
After inhalation	: Not required.			
After skin contact	: After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap.			
After eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
After ingestion	: Do NOT induce vomiting. Rinse mouth. If swallowed, do not induce vomiting: seek medical advice immediately and show this container label.			
4.2. Most important symptoms and effects, both acute and delayed				
No additional information available				
4.3. Indication of any immediate medica	I attention and special treatment needed			
First Aid, decontamination, treatment of sympton	ns.			
SECTION 5: Firefighting measures				
5.1. Extinguishing media				
Suitable extinguishing media	: powder, alcohol-resistant foam, water spray, carbon dioxide.			
Unsuitable extinguishing media	: Do not use a heavy water stream.			
5.2. Special hazards arising from the substance or mixture				
No additional information available				
5.3. Advice for firefighters				
No additional information available				
<b>SECTION 6: Accidental release mea</b>	sures			
6.1. Personal precautions, protective eq	uipment and emergency procedures			
General measures	: Keep away from sources of ignition - No smoking.			
6.1.1. For non-emergency personnel				
No additional information available				
6.1.2. For emergency responders				
No additional information available				
6.2. Environmental precautions				
Prevent spreading over great surfaces (e.g. by damming or installing oil booms). Avoid release to the environment. Notify authorities if liquid enters sewers or public waters.				
6.3. Methods and material for containme	ent and cleaning up			
For containment	: Prevent spreading over great surfaces (e.g. by damming or installing oil booms).			
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.			
6.4. Reference to other sections				
No additional information available				

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

: Avoid contact with skin and eyes. Do not eat, drink or smoke when using this product.
ing any incompatibilities
: <40 °C
: Keep container tightly closed in a cool, well-ventilated place.

No additional information available

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

(64742-94-5)			
EU	IOELV TWA (mg/m³)	500 mg/m³	
naphthalene (91-20-3)			
EU	IOELV TWA (mg/m <sup>3</sup> )	50 mg/m <sup>3</sup> 29-05-1991	
EU	IOELV TWA (ppm)	10 ppm 29-05-1991	
United Kingdom	WEL TWA (mg/m³)	50 mg/m <sup>3</sup>	

Additional information

: Based on ACGIH TLV, a concentration of 5 mg/m3 oilspray (TWA, 8 hour workday) is recommended.

# 8.2. Exposure controls

# Technical measures:

Provide adequate ventilation.

# Materials for protective clothing:

Type of chemical protective gloves to choose depends on the concentration and quantity of dangerous substances as well as on work place specifications. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Suitable material: nitrile rubber. PVC (Polyvinyl chloride).

#### Hand protection:

protective gloves

Eye protection:

Safety glasses

### Skin and body protection:

None under normal use

#### **Respiratory protection:**

Not necessary with sufficient ventilation

SECTION 9: Physical and chemical properties			
9.1. Information on basic physical and chemical properties			
Physical state	: Liquid		
Appearance	: Oily.		
Colour	: Yellowbrown.		
Odour	: Oily.		
Odour threshold	: No data available		
pH	: No data available		
Relative evaporation rate (butylacetate=1)	: No data available		
Melting point	: No data available		
Freezing point	: No data available		
Boiling point	: No data available		
Flash point	: > 195 °C ASTM D 92		
Auto-ignition temperature	: No data available		
Decomposition temperature	: No data available		
Flammability (solid, gas)	: No data available		
Vapour pressure	: No data available		

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 881 g/l
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: 46 mm²/s @ 40°C
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity			
10.1.	Reactivity		
None under normal use.			
10.2.	Chemical stability		
The product is stable at normal handling- and storage conditions.			
10.3.	Possibility of hazardous reactions		
No additional information available			
10.4.	Conditions to avoid		
None under normal use.			
10.5.	Incompatible materials		
Acids and bases. Oxidizing substances.			

# 10.6. Hazardous decomposition products

On burning: release of harmful/irritant gases/vapours e.g.: carbon monoxide - carbon dioxide.

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity	: Not classified	
Compressor Oil 46		
LD50 oral rat	No data available	
(64742-94-5)		
LD50 oral rat	> 2000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 inhalation rat (Vapours - mg/l/4h)	> 5 mg/l/4h	
naphthalene (91-20-3)		
LD50 oral rat	> 2000 mg/kg	
LD50 dermal rat	> 2500 mg/kg	
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 110 mg/l/4h	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
Compressor Oil 46		
Viscosity, kinematic	46 mm²/s @ 40°C	

# Compressor Oil 46 Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 12: Ecological information					
12.1. Toxicity					
	Do not allow uncontrolled leakage of product into the environment.				
Compressor Oil 46					
LC50 fish 1	No data available				
(64742-94-5)					
LC50 fish 1	1 - 10 mg/l @96h				
LC50 other aquatic organisms 1	1 - 10 mg/kg @72h algae				
EC50 Daphnia 1	1 - 10 mg/l @48h				
naphthalene (91-20-3)	·				
LC50 fish 1	1,99 mg/l @96h Pimephales promelas				
LC50 other aquatic organisms 1	2,96 mg/l @4h Selenastrum capriconutum				
EC50 Daphnia 1	2,19 mg/l @48h Daphnia magna				
12.2. Persistence and degradability					
(64742-94-5)	(64742-94-5)				
Persistence and degradability	Poorly biodegradable.				
12.3. Bioaccumulative potential					
(64742-94-5)					
Bioconcentration factor (BCF REACH)	< 100				
Log Pow	> 3,8 - 4,8				
12.4. Mobility in soil					
No additional information available					
12.5. Results of PBT and vPvB assessment					
No additional information available					
12.6. Other adverse effects					
Additional information	: insoluble in water. Some of the components are biologically degradable with difficulty.				
SECTION 13: Disposal considerations					
13.1. Waste treatment methods					
	Do not empty into drains; dispose of this material and its container in a safe way. Waste				
Waste materials	disposal according to official state regulations.				
European List of Waste (LoW) code	: 13 02 00 - Waste engine, gear and lubricating oils. 13 02 05- Mineral-based non-chlorinated engine, gear and lubricating oils. 15 01 10 Packaging containing residues of or contaminated by dangerous substances.				
SECTION 14: Transport information					
In accordance with ADR / RID / IMDG / IATA / ADN					

ADR	IMDG	
14.1. UN number		
Not applicable	Not applicable	
14.2. UN proper shipping name		
Not applicable	Not applicable	
14.3. Transport hazard class(es)		
Not applicable	Not applicable	
Not applicable	Not applicable	
14.4. Packing group		
Not applicable	Not applicable	
14.5. Environmental hazards		
Dangerous for the environment : No	Dangerous for the environment : No	
	Marine pollutant : No	
No supplementary information available		

#### Special precautions for user 14.6.

- Overland transport
- No data available

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### - Transport by sea

# No data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

# 15.1.2. National regulations

No additional information available

# 15.2. Chemical safety assessment

No additional information available

# **SECTION 16: Other information**

	SDS EU format	Modified	
3	Composition/informatio n on ingredients	Modified	
9.1	Flash point	Modified	

## Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 2	Carcinogenicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains Arylamine(90-30-2). May produce an allergic reaction.

### SDS MPM REACH

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product