

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 30-3-2009 Revision date: 1-12-2017 Supersedes: 28-9-2017 version: 8.1

| SECTION 1: Ide   | entification of the substa  | nce/mixture and of the co                   | mpanv/undertaking |         |  |  |
|--|---|---|-------------------|---------|--|--|
| 1.1. Product i   |   |   | 5                 |         |  |  |
| Product name   | : {   | Screenwash Concentrate                      |                   |         |  |  |
| Product code   | : {   | 84000                                       |                   |         |  |  |
| .2. Relevant identified uses of the substance or mixture and uses advised against  |   |   |                   |         |  |  |
|  | identified uses   |   |                   |         |  |  |
| lain use category  | : 1   | Professional use                            |                   |         |  |  |
| .2.2. Uses adv   | rised against   |   |                   |         |  |  |
|  | f the supplier of the safety data   | sheet                                       |                   |         |  |  |
| MPM International (<br>Cyclotronweg 1<br>2629 HN Delft - Nec<br>F +31 (0)15 251403<br>nfo@mpmoil.nl - wi   | derland<br>30 - F +31 (0)15 2514031   |   |                   |         |  |  |
| .4. Emergen  | cy telephone number   |   |                   |         |  |  |
| Emergency number   | · · · ·   | +31 (0)15 2514030 (08.00 - 17.00            | GMT+1)            |         |  |  |
| Country  | Official advisory body  | Address                                     | Emergency number  | Comment |  |  |
| Ireland  | National Poisons Information<br>Centre<br>Beaumont Hospital   | Beaumont Hospital Beaumont Road<br>9 Dublin | : +353 1 8379964  |         |  |  |
| United Kingdom   | Guy's & St Thomas' Poisons<br>Unit<br>Medical Toxicology Unit, Guy's & St<br>Thomas' Hospital Trust | Avonley Road<br>SE14 5ER London             | 0870 243 2241     |         |  |  |
|  | azards identification<br>ation of the substance or mixtu  | r0  |                   |         |  |  |
|  | ording to Regulation (EC) No. 1   |   |                   |         |  |  |
| Flammable liquids,<br>Serious eye damag<br>Category 2<br>Full text of hazard c   |   | action 16                                   |                   |         |  |  |
| Adverse physicoc<br>No additional inform   | hemical, human health and env<br>nation available   | ironmental effects                          |                   |         |  |  |
| 2.2. Label ele   | ments   |   |                   |         |  |  |
| Labelling accordin   | ng to Regulation (EC) No. 1272/2<br>(CLP)   |   |                   |         |  |  |
| CLP Signal word  | . \   | GHS02 GHS07<br>Warning                      |                   |         |  |  |
| lazard statements  | (CLP) : I   | H226 - Flammable liquid and vapou           |                   |         |  |  |
| <ul> <li>H319 - Causes serious eye irritation.</li> <li>Precautionary statements (CLP)</li> <li>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P240 - Ground/bond container and receiving equipment.</li> <li>P241 - Use explosion-proof electrical equipment.</li> <li>P280 - Wear eye protection, face protection.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.</li> </ul> |   |   |                   |         |  |  |
|  |   |   |                   |         |  |  |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 2.3. Other hazards

No additional information available

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name                           | Product identifier   | %   | Classification according to<br>Regulation (EC) No.<br>1272/2008 [CLP] |
|--------------------------------|--|---|---|
| ethanol, ethyl alcohol         | (CAS-No.) 64-17-5<br>(EC-No.) 200-578-6<br>(EC Index-No.) 603-002-00-5<br>(REACH-no) 01-2119457610-43  | < 60  | Flam. Liq. 2, H225<br>Eye Irrit. 2, H319                              |
| 1,2-Ethanediol                 | (CAS-No.) 107-21-1<br>(EC-No.) 203-473-3<br>(EC Index-No.) 603-027-00-1<br>(REACH-no) 01-2119456816-28 | < 10  | Acute Tox. 4 (Oral), H302<br>STOT RE 2, H373                          |
| butanone, ethyl methyl ketone  | (CAS-No.) 78-93-3<br>(EC-No.) 201-159-0<br>(EC Index-No.) 606-002-00-3<br>(REACH-no) 01-2119457290-43  | < 1   | Flam. Liq. 2, H225<br>Eye Irrit. 2, H319<br>STOT SE 3, H336           |
| Specific concentration limits: |  |   |   |
| Name                           | Product identifier   | Specific concentration limits                                     |   |
| ethanol, ethyl alcohol         | (CAS-No.) 64-17-5<br>(EC-No.) 200-578-6<br>(EC Index-No.) 603-002-00-5<br>(REACH-no) 01-2119457610-43  | ( 50 = <c 100)="" 2,="" <="" eye="" h319<="" irrit.="" td=""></c> |   |

Full text of H-statements: see section 16

| SECTION 4: First aid measures                 |  |  |  |  |
|---|--|--|--|--|
| 4.1. Description of first aid measures        |  |  |  |  |
| General                                       | : In case of accident or if you feel unwell, seek medical advice immediately (show safety data sheet if possible).   |  |  |  |
| After inhalation                              | : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medica<br>advice/attention if you feel unwell.                      |  |  |  |
| After skin contact                            | : After contact with skin, take off immediately all contaminated clothing, and wash immediately<br>with plenty of water and soap.                              |  |  |  |
| After eye contact                             | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.   |  |  |  |
| After ingestion                               | : IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Get medical advice/attention if you feel unwell. Let water be swallowed in little sips (dilution effect). |  |  |  |
| 4.2. Most important symptoms and e            | ffects, both acute and delayed   |  |  |  |
| After inhalation                              | : High concentration of vapours may induce: headache, nausea, dizziness. Coughing.   |  |  |  |
| After skin contact                            | : No risks worthy of mention.  |  |  |  |
| After eye contact                             | : Eye irritation.  |  |  |  |
| After ingestion                               | : Abdominal pain.  |  |  |  |
| 4.3. Indication of any immediate med          | 4.3. Indication of any immediate medical attention and special treatment needed  |  |  |  |
| First Aid, decontamination, treatment of symp | toms.  |  |  |  |
| SECTION 5: Firefighting measures              | S  |  |  |  |
| 5.1. Extinguishing media                      |  |  |  |  |
| No additional information available           |  |  |  |  |
| 5.2. Special hazards arising from the         | substance or mixture   |  |  |  |

| 5.2. Special hazards arising from the substance or mixture |  |  |  |  |
|--|--|--|--|--|
| Fire hazard  | : May form flammable/explosive vapour-air mixture.                               |  |  |  |
| Explosion hazard   | : Vapours may form explosive mixtures with air.                                  |  |  |  |
| 5.3. Advice for firefighters                               |  |  |  |  |
| Other information  | : Use water spray/stream to protect personnel and to cool endangered containers. |  |  |  |

Safety Data Sheet

1007/2006 (PEACH) dn ... .. . . a

| cording to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 |   |   |  |  |  |
|--|---|---|--|--|--|
| SECTION 6: Accidental  | SECTION 6: Accidental release measures  |   |  |  |  |
| 6.1. Personal precaution   | s, protective equipment and emergency proc  | cedures   |  |  |  |
| General measures   | eneral measures : Keep away from sources of ignition - No smoking.  |   |  |  |  |
| 6.1.1. For non-emergency<br>No additional information availa                                 | -   |   |  |  |  |
| 6.1.2. For emergency resp<br>No additional information availa                                |   |   |  |  |  |
| 6.2. Environmental preca   |   |   |  |  |  |
| Prevent spreading over great su  | irfaces (e.g. by damming or installing oil booms)   |   |  |  |  |
| 6.3. Methods and materia   | al for containment and cleaning up  |   |  |  |  |
| Other information  | : Ensure adequate ventilation   | n.  |  |  |  |
| 6.4. Reference to other s<br>No additional information available                             |   |   |  |  |  |
|  |   |   |  |  |  |
| SECTION 7: Handling ar   |   |   |  |  |  |
| 7.1. Precautions for safe  |   |   |  |  |  |
| Precautions for safe handling  | Precautions for safe handling : Provide good ventilation in process area to prevent formation of vapour. Keep away from he hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not eat, drink smoke when using this product. Use only non-sparking tools. Avoid all eye and skin contact and do not breathe vapour and mist. |   |  |  |  |
| Hygiene measures   | : Do not eat, drink or smoke  | when using this product. Wash hands thoroughly after handling.  |  |  |  |
| 7.2. Conditions for safe s   | storage, including any incompatibilities  |   |  |  |  |
| Technical measures   | : Ground/bond container and   | l receiving equipment.  |  |  |  |
| Storage area   | : Keep container tightly close  | ed in a cool, well-ventilated place.  |  |  |  |
| 7.3. Specific end use(s)   |   |   |  |  |  |
| No additional information availa   | ble   |   |  |  |  |
| <b>SECTION 8: Exposure c</b>   | ontrols/personal protection   |   |  |  |  |
| 8.1. Control parameters  |   |   |  |  |  |
| ethanol, ethyl alcohol (64-17  | -5)   |   |  |  |  |
| EU   | IOELV TWA (mg/m <sup>3</sup> )  | 260 (NL); 950 (NO); 960 (DE, CH, SK); 1000 (SE, CS,<br>ET, LT, BG, LV, RU); 1900 (DK, FR, FI, GR, AT, HU,<br>SL, HR, PL); 1907 (BE); 1910 (ES); 1920 (GB) |  |  |  |
| EU   | IOELV TWA (ppm)   | 1000 (FR, GB, PT, BE, ES, DK, FI); 500 (DE, SE, NO, CH)   |  |  |  |
| EU   | IOELV STEL (mg/m <sup>3</sup> )   | 1900 (LT, ET, NL, SE); 1920 (CH, SK); 2500 (FI);<br>3000 (CS); 3800 (AT); 9500 (FR)   |  |  |  |
| EU         IOELV STEL (ppm)         5000 (FR); 1000 (SE, CH); 1300 (FI)                      |   |   |  |  |  |
| 1,2-Ethanediol (107-21-1)  |   |   |  |  |  |
| EU   | Local name  | Ethylene glycol   |  |  |  |
| EU   | IOELV TWA (mg/m <sup>3</sup> )  | 52 mg/m <sup>3</sup>  |  |  |  |
| EU   | IOELV TWA (ppm)   | 20 ppm  |  |  |  |
| EU   | IOELV STEL (mg/m <sup>3</sup> )   | 104 mg/m <sup>3</sup>   |  |  |  |
| EU   | IOELV STEL (ppm)  | 40 ppm  |  |  |  |
| EU   | Notes   | Skin  |  |  |  |
| butanone, ethyl methyl ketone (78-93-3)  |   |   |  |  |  |

Butanone

600 mg/m<sup>3</sup>

200 ppm

300 ppm

900 mg/m<sup>3</sup>

EU

EU

EU

EU

EU

Local name

IOELV TWA (mg/m<sup>3</sup>) IOELV TWA (ppm)

IOELV STEL (mg/m<sup>3</sup>) IOELV STEL (ppm)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 8.2. Exposure controls

#### **Technical measures:**

If suction of the immediate vicinity is impossible or insufficient, adequate airing of the working place must be ensured.

#### Personal protective equipment:

Gloves. Safety glasses.

#### Hand protection:

Wear suitable gloves.

## Eye protection:

\_\_\_\_

### Safety glasses

#### Skin and body protection:

None under normal use

#### **Respiratory protection:**

No personal breathing protective equipment is normally required. Not necessary with sufficient ventilation



SECTION OF DE

| SECTION 9: Physical and chemical properties |                          |  |  |
|---|--------------------------|--|--|
| 9.1. Information on basic physical and      | chemical properties      |  |  |
| Physical state                              | : Liquid                 |  |  |
| Colour                                      | : Blue.                  |  |  |
| Odour                                       | : alcohol odour.         |  |  |
| Odour threshold                             | : No data available      |  |  |
| рН  | : 7,4                    |  |  |
| Relative evaporation rate (butylacetate=1)  | : No data available      |  |  |
| Melting point                               | : No data available      |  |  |
| Freezing point                              | : -60 °C                 |  |  |
| Boiling point                               | : 78 (78 - 200) °C       |  |  |
| Flash point                                 | : 23 °C DIN EN ISO 13736 |  |  |
| Auto-ignition temperature                   | : No data available      |  |  |
| Decomposition temperature                   | : No data available      |  |  |
| Flammability (solid, gas)                   | : No data available      |  |  |
| Vapour pressure                             | : No data available      |  |  |
| Relative vapour density at 20 °C            | : No data available      |  |  |
| Relative density                            | : No data available      |  |  |
| Density                                     | : 911 g/l                |  |  |
| Solubility                                  | : Water: 100 %           |  |  |
| Log Pow                                     | : No data available      |  |  |
| Viscosity, kinematic                        | : No data available      |  |  |
| Viscosity, dynamic                          | : No data available      |  |  |
| Explosive properties                        | : No data available      |  |  |
| Oxidising properties                        | : No data available      |  |  |
| Explosive limits                            | : No data available      |  |  |
| 9.2. Other information                      |                          |  |  |

No additional information available

### SECTION 10: Stability and reactivity 10.1. Reactivity

None under normal use.

#### 10.2. Chemical stability

The product is stable at normal handling- and storage conditions.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| according to Regulation (EC) No. 1907/2006 (REACH) with | its amendment Regulation (EO) 2015/630           |  |  |  |
|---|--|--|--|--|
| 10.3. Possibility of hazardous reactions                |  |  |  |  |
| No additional information available                     |  |  |  |  |
| 10.4. Conditions to avoid                               | 10.4. Conditions to avoid                        |  |  |  |
| Keep cool. Protect from sunlight. Keep away from        | heat/sparks/open flames/hot surfaces No smoking. |  |  |  |
| 10.5. Incompatible materials                            |  |  |  |  |
| Oxidizing substances.                                   |  |  |  |  |
| 10.6. Hazardous decomposition products                  |  |  |  |  |
| On burning: release of harmful/irritant gases/vapor     | Irs e d : carbon monoxide - carbon dioxide       |  |  |  |
| en banning. Foloaco of harman man gaboo, vapo.          |  |  |  |  |
| <b>SECTION 11: Toxicological information</b>            | on   |  |  |  |
| 11.1. Information on toxicological effects              |  |  |  |  |
| Acute toxicity  | : Not classified                                 |  |  |  |
| ethanol, ethyl alcohol (64-17-5)                        |  |  |  |  |
| LD50 oral rat   | 10470 mg/kg                                      |  |  |  |
| LD50 dermal rat   | > 15800 mg/kg                                    |  |  |  |
| LC50 inhalation rat (mg/l)                              | 30000 mg/m³ Air                                  |  |  |  |
| 1,2-Ethanediol (107-21-1)                               |  |  |  |  |
| LD50 oral rat   | 7712 mg/kg                                       |  |  |  |
| LD50 dermal rat   | > 3500 mg/kg Mouse                               |  |  |  |
| LD50 dermal rabbit                                      | 10600 mg/kg                                      |  |  |  |
| LC50 inhalation rat (mg/l)                              | > 2,5 mg/l/6Hrs                                  |  |  |  |
| butanone, ethyl methyl ketone (78-93-3)                 |  |  |  |  |
| LD50 oral rat   | 2600 - 5400 mg/kg                                |  |  |  |
| LD50 dermal rabbit                                      | 6480 mg/kg                                       |  |  |  |
| LC50 inhalation rat (mg/l)                              | 34 mg/l/4h                                       |  |  |  |
| Skin corrosion/irritation                               | : Not classified                                 |  |  |  |
|   | pH: 7,4  |  |  |  |
| Serious eye damage/irritation                           | : Causes serious eye irritation.                 |  |  |  |
|   | pH: 7,4  |  |  |  |
| Respiratory or skin sensitisation                       | : Not classified                                 |  |  |  |
| Germ cell mutagenicity                                  | : Not classified                                 |  |  |  |
| Carcinogenicity   | : Not classified                                 |  |  |  |
| 1,2-Ethanediol (107-21-1)                               |  |  |  |  |
| NOAEL (chronic, oral, animal/male, 2 years)             | 1000 mg/kg bodyweight                            |  |  |  |
| NOAEL (chronic, oral, animal/female, 2 years)           | 1500 mg/kg bodyweight                            |  |  |  |
| Reproductive toxicity                                   | : Not classified                                 |  |  |  |
| STOT-single exposure                                    | : Not classified                                 |  |  |  |
| STOT-repeated exposure                                  | : Not classified                                 |  |  |  |
| 1,2-Ethanediol (107-21-1)                               |  |  |  |  |
| NOAEL (oral, rat, 90 days)                              | 200 mg/kg bodyweight/day                         |  |  |  |
|   |  |  |  |  |

| 1,2-Eulaneuloi (107-21-1)               |                          |  |  |
|---|--------------------------|--|--|
| NOAEL (oral, rat, 90 days)              | 200 mg/kg bodyweight/day |  |  |
| butanone, ethyl methyl ketone (78-93-3) |                          |  |  |
| NOAEC (inhalation, rat, gas, 90 days)   | 2500 ppmv/6h/day         |  |  |
| Aspiration hazard :                     | Not classified           |  |  |

| SECTION 12: Ecological in              | formation                               |                           |  |  |
|--|---|---------------------------|--|--|
| 12.1. Toxicity                         |   |                           |  |  |
| General                                | : No risks worthy of mention.           |                           |  |  |
| ethanol, ethyl alcohol (64-17-5)       |   |                           |  |  |
| LC50 fish 1                            | 11200 mg/l /96h                         |                           |  |  |
| EC50 Daphnia 1                         | 5012 mg/l /48h Freshwater               | 5012 mg/l /48h Freshwater |  |  |
| ErC50 (algae) 275 mg/l /72h Freshwater |   |                           |  |  |
| 1,2-Ethanediol (107-21-1)              |   |                           |  |  |
| LC50 fish 1                            | 72860 mg/l 96 hrs / Pimephales promelas |                           |  |  |
| EC50 Daphnia 1                         | > 100 mg/l 48 hrs                       |                           |  |  |
| 1-12-2017                              | EN (English)                            | 5/8                       |  |  |

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| 1,2-Ethanediol (107-21-1)  |                                      |  |  |
|--|--------------------------------------|--|--|
| EC50 other aquatic organisms 2 > 9600 mg/l 96 hrs / Selenastrum capricornutum  |                                      |  |  |
| NOEC (chronic) 15380 mg/l Fish Early Life Stage / Pimephales promelas / 7 days |                                      |  |  |
| butanone, ethyl methyl ketone (78-93-3)  |                                      |  |  |
| LC50 fish 1  | 3220 mg/l /96h (Pimephales promelas) |  |  |
| EC50 Daphnia 1   | > 520 mg/l                           |  |  |

#### 12.2. Persistence and degradability

| 1,2-Ethanediol (107-21-1)       |   |  |  |
|---------------------------------|---|--|--|
| Biodegradation                  | Readily biodegradable   |  |  |
| 12.3. Bioaccumulative potential |   |  |  |
| 1,2-Ethanediol (107-21-1)       |   |  |  |
| Log Pow                         | -1.36   |  |  |
| Bioaccumulative potential       | There is no bioaccumulation.  |  |  |
| 12.4. Mobility in soil          |   |  |  |
| 1,2-Ethanediol (107-21-1)       |   |  |  |
| Soil                            | This material has low volatility and is water soluble hence the potential for mobility is high. |  |  |

12.5. Results of PBT and vPvB assessment

### No additional information available

#### 12.6. Other adverse effects

No additional information available

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Regional legislation (waste) : Waste disposal according to official state regulations.

### **SECTION 14: Transport information**

#### In accordance with ADR / IMDG / ADN / IATA / RID

| ADR   | IMDG   | IATA                                | ADN  | RID  |
|---|--|-------------------------------------|--|--|
| 14.1. UN number   |  |                                     |  |  |
| 1170  | 1170   | 1170                                | 1170   | 1170   |
| 14.2. UN proper shippi  | ng name  |                                     |  | ·  |
| ETHANOL SOLUTION<br>(ETHYL ALCOHOL<br>SOLUTION)                           | ETHANOL SOLUTION<br>(ETHYL ALCOHOL<br>SOLUTION)                    | Ethanol solution                    | ETHANOL SOLUTION<br>(ETHYL ALCOHOL<br>SOLUTION)                    | ETHANOL SOLUTION<br>(ETHYL ALCOHOL<br>SOLUTION)                    |
| Transport document descr  | iption   |                                     |  | ·  |
| UN 1170 ETHANOL<br>SOLUTION (ETHYL<br>ALCOHOL SOLUTION), 3,<br>III, (D/E) | UN 1170 ETHANOL<br>SOLUTION (ETHYL<br>ALCOHOL SOLUTION), 3,<br>III | UN 1170 Ethanol solution,<br>3, III | UN 1170 ETHANOL<br>SOLUTION (ETHYL<br>ALCOHOL SOLUTION), 3,<br>III | UN 1170 ETHANOL<br>SOLUTION (ETHYL<br>ALCOHOL SOLUTION), 3,<br>III |
| 14.3. Transport hazard  | class(es)  |                                     |  |  |
| 3   | 3  | 3                                   | 3  | 3  |
|   |  |                                     |  |  |
| 14.4. Packing group   |  |                                     |  |  |
| III   | III  | III                                 | III  | III  |
| 14.5. Environmental hazards   |  |                                     |  |  |
| Dangerous for the   | Dangerous for the  | Dangerous for the                   | Dangerous for the  | Dangerous for the  |
| environment : No  | environment : No<br>Marine pollutant : No                          | environment : No                    | environment : No   | environment : No   |
| No supplementary information available                                    |  |                                     |  |  |

#### 14.6. Special precautions for user

#### - Overland transport

| Classification code (ADR) | : | F1 |
|---------------------------|---|----|
| Limited quantities (ADR)  | : | 51 |

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|   | , |
|---|---|
| Transport category (ADR)                  | : 3                                     |
| Hazard identification number (Kemler No.) | : 30                                    |
| Orange plates                             | 30<br>1170                              |
| Tunnel restriction code (ADR)             | : D/E                                   |
| - Transport by sea                        |   |
| Limited quantities (IMDG)                 | : 5L                                    |
| EmS-No. (Fire)                            | : F-E                                   |
| EmS-No. (Spillage)                        | : S-D                                   |
| - Air transport                           |   |
| No data available                         |   |
| - Inland waterway transport               |   |
| No data available                         |   |
| - Rail transport                          |   |
| No data available                         |   |
|   |   |

Transport in bulk according to Annex II of Marpol and the IBC Code 14.7.

Not applicable

#### **SECTION 15: Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.

#### 15.1.1. **EU-Regulations**

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

#### 15.1.2. National regulations

No additional information available

#### 15.2. **Chemical safety assessment**

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Indication of changes:

|     | Proper Shipping Name<br>(RID)   | Added    |  |
|-----|---|----------|--|
|     | Packing group (RID)   | Added    |  |
|     | Flash point (IMDG)  | Added    |  |
|     | Proper Shipping Name<br>(IATA)  | Added    |  |
|     | Danger labels (ADN)   | Added    |  |
|     | Danger labels (ICAO)  | Added    |  |
|     | Revision date   | Modified |  |
| 2.1 | Classification according<br>to Regulation (EC) No.<br>1272/2008 [CLP] | Modified |  |
| 2.2 | Precautionary<br>statements (CLP)                                     | Modified |  |
| 2.2 | Hazard statements (CLP)   | Modified |  |
| 2.2 | Hazard pictograms<br>(CLP)  | Modified |  |
| 3   | Composition/informatio<br>n on ingredients                            | Modified |  |
| 5.3 | EAC code  | Removed  |  |
| 7.1 | Precautions for safe<br>handling                                      | Added    |  |
| 7.1 | Hygiene measures  | Added    |  |

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| 7.2  | Technical measures            | Added    |
|------|-------------------------------|----------|
| 9.1  | Boiling point                 | Added    |
| 9.1  | pH                            | Modified |
| 9.1  | Freezing point                | Modified |
| 9.1  | Flash point                   | Modified |
| 14.1 | UN-No. (ADN)                  | Added    |
| 14.2 | Proper Shipping Name<br>(ADN) | Added    |
| 14.2 | Proper Shipping Name<br>(ADR) | Added    |
| 14.4 | Packing group (ADN)           | Added    |
| 14.4 | Packing group (IATA)          | Added    |
| 15.2 | Chemical safety assessment    | Added    |

### Full text of H- and EUH-statements:

| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4                                      |  |
|---------------------|--|--|
| Eye Irrit. 2        | Serious eye damage/eye irritation, Category 2                          |  |
| Flam. Liq. 2        | Flammable liquids, Category 2  |  |
| Flam. Liq. 3        | Flammable liquids, Category 3  |  |
| STOT RE 2           | Specific target organ toxicity — Repeated exposure, Category 2         |  |
| STOT SE 3           | Specific target organ toxicity — Single exposure, Category 3, Narcosis |  |
| H225                | Highly flammable liquid and vapour.                                    |  |
| H226                | Flammable liquid and vapour.   |  |
| H302                | Harmful if swallowed.  |  |
| H319                | Causes serious eye irritation.   |  |
| H336                | May cause drowsiness or dizziness.                                     |  |
| H373                | May cause damage to organs through prolonged or repeated exposure.     |  |

#### SDS MPM REACH

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product