95000



Brake Cleaner

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 6-8-2009 Revision date: 9-7-2012 version: 7.1

1.1.	Product identifier		
Product	form	:	Substance
Substan	ce name	:	Brake Cleaner
EC Inde	x No	:	649-328-00-1
EC No		:	265-151-9
CAS No		:	64742-49-0
Product	code	:	95000
Product	group	:	Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category

: Professional use, Industrial use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet MPM International Oil Company Cyclotronweg 1

2629 HN Delft - Nederland T +31 (0)15 2514030 - F +31 (0)15 2514031 info@mpmoil.nl - www.mpmoil.nl

1.4. Emergency telephone number

Emergency number	er : +31 (0)15 2514030 (08.00 - 17.00)			
Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	Beaumont Hospital Beaumont Road 9 Dublin	: +353 1 8379964	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Centre Hospitalier Universitaire de Constantine	Avonley Road SE14 5ER London	0870 243 2241	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2	H225
Skin corrosion/irritation, Category 2	H315
Specific target organ toxicity — Single exposure, Category 3, Narcosis	H336
Aspiration hazard, Category 1	H304
Hazardous to the aquatic environment — Chronic Hazard, Category 2	H411

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP)



22-12-2016

Safety Data Sheet

Hazard statements (CLP)	 H225 - Highly flammable liquid and vapour H304 - May be fatal if swallowed and enters airways H315 - Causes skin irritation H336 - May cause drowsiness or dizziness H411 - Toxic to aquatic life with long lasting effects
Precautionary statements (CLP)	 P210 - Keep away from hot surfaces, open flames, sparks, heat No smoking P280 - Wear protective gloves, protective clothing, eye protection P241 - Use explosion-proof electrical, ventilating, lighting equipment P301+P310 - IF SWALLOWED: immediately call a POISON CENTER or doctor/physician P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower P501 - Dispose of contents/container to officially registered waste disposal company

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients		
3.1. Substances		
Name	: Brake Cleaner	
CAS No	: 64742-49-0	
EC No	: 265-151-9	
EC Index No	: 649-328-00-1	

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Naphtha (petroleum), hydrotreated light	(CAS No) 64742-49-0 (EC No) 265-151-9 (EC Index No) 649-328-00-1 (REACH-no) 01-2119475514-35	<= 100	Skin Irrit. 2, H315 Muta. 1B, H340 Carc. 1B, H350 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Full text of H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures		
4.1. Description of first aid measures		
General	: Remove/Take off immediately all contaminated clothing. In case of accident or if you feel unwell, seek medical advice immediately (show safety data sheet if possible).	
After inhalation	: In case of unconsciousness place in unconscious position and seek medical advice. Remove victim to fresh air and keep at rest in a position comfortable for breathing.	
After skin contact	: After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap.	
After eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, consult a specialist.	
After ingestion	: If swallowed, do not induce vomiting: seek medical advice immediately and show this container label. Rinse mouth. Let water be swallowed in little sips (dilution effect).	
4.2. Most important symptoms and effe	cts, both acute and delayed	
After inhalation	: Vapours may cause drowsiness and dizziness.	
After skin contact	: Skin corrosion/irritation:	
After ingestion	: Risk of : pulmonary oedema.	
4.3. Indication of any immediate medica	I attention and special treatment needed	
First Aid, decontamination, treatment of symptoms.		
SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: powder, alcohol-resistant foam, water spray, carbon dioxide.	
Unsuitable extinguishing media	: Do not use a heavy water stream.	
5.2. Special hazards arising from the substance or mixture		
Fire hazard	: May form flammable/explosive vapour-air mixture.	
22-12-2016	EN (English) 2/7	

Safety Data Sheet

Explosion hazard	: Vapours may form explosive mixtures with air.
.3. Advice for firefighters	
Other information	: Do not use water jet.
SECTION 6: Accidental release me	easures
5.1. Personal precautions, protective	equipment and emergency procedures
General measures	: Keep away from sources of ignition - No smoking.
.1.1. For non-emergency personnel	
lo additional information available	
.1.2. For emergency responders	
lo additional information available	
.2. Environmental precautions	
Do not flush into surface water or sewer syste liquid enters sewers or public waters.	m. Prevent spreading over great surfaces (e.g. by damming or installing oil booms). Notify authoritie
.3. Methods and material for contain	ment and cleaning up
Other information	: Ensure adequate ventilation.
.4. Reference to other sections	
lo additional information available	
SECTION 7: Handling and storage	
.1. Precautions for safe handling	
Precautions for safe handling	 If suction of the immediate vicinity is impossible or insufficient, adequate airing of the working place must be ensured. Avoid aerosol formation. Take precautionary measures against static discharge.
lygiene measures	: When using do not eat, drink or smoke. Avoid all unnecessary exposure. Wash hands before breaks and at the end of work.
2. Conditions for safe storage, inclu	iding any incompatibilities
Storage conditions	: Keep away from strong oxidizers.
Storage area	: Keep container tightly closed and dry. Ensure adequate ventilation of the storage area.
Special rules on packaging	: Keep container tightly closed.
3. Specific end use(s)	

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Technical measures:

If suction of the immediate vicinity is impossible or insufficient, adequate airing of the working place must be ensured.

Personal protective equipment:

Safety glasses. Gloves.

Hand protection:

Wear suitable gloves. In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves

Eye protection:

Tightly sealed safety glasses

Skin and body protection:

Wear suitable protective clothing, gloves and eye/face protection

Respiratory protection:

If technical suction or ventilation measures are not possible or are insufficient, protective breathing apparatus must be worn

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Colour	: clear.	
Odour	: characteristic.	
Odour threshold	: No data available	
рН	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: 78 - 113 °C	
Flash point	: -8 °C	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: No data available	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: No data available	
Density	: 720 g/l	
Solubility	: Water: insoluble	
Log Pow	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: Product is not explosive. Explosive dust-air mixtures may form.	
Oxidising properties	: No data available	
Explosive limits	: No data available	
9.2. Other information		
VOC content	: 100 %	
SECTION 10: Stability and reactivity		
10.1. Reactivity		
None under normal use.		
10.2. Chemical stability		
The product is stable at normal handling- and storage conditions.		
10.3. Possibility of hazardous reactions		

No additional information available

10.4. Conditions to avoid

No additional information available

 10.5.
 Incompatible materials

 No additional information available

 10.6.
 Hazardous decomposition products

On burning: release of harmful/irritant gases/vapours e.g.: carbon monoxide - carbon dioxide.

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity	: Not classified	
Naphtha (petroleum), hydrotreated light (6474	42-49-0)	
Naphtha (petroleum), hydrotreated light (6474 LD50 oral rat	42-49-0) > 2000 mg/kg	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Naphtha (petroleum), hydrotreated light (64742-49-0)		
LC50 inhalation rat (mg/l)	> 5 mg/l/4h	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: May cause drowsiness or dizziness.	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: May be fatal if swallowed and enters airways.	

SECTION 12: Ecological inform	nation
12.1. Toxicity	
General	: Do not allow uncontrolled leakage of product into the environment.
Brake Cleaner (64742-49-0)	
LC50 fish 1	Toxic to fish
Naphtha (petroleum), hydrotreated li	ght (64742-49-0)
EC50 Daphnia 1	1 - 10 mg/l

12.2. Persistence and degradability

Naphtha (petroleum), hydrotreated light (64742-49-0)			
Persistence and degradability	Product is biodegradable.		
12.3. Bioaccumulative potential			
Naphtha (petroleum), hydrotreated light (647	42-49-0)		
Bioaccumulative potential	Expected to bio accumulate.		
12.4. Mobility in soil			
Brake Cleaner (64742-49-0)			
Soil	Prevent soil and water pollution.		
12.5. Results of PBT and vPvB assessmer	it		
No additional information available			
12.6. Other adverse effects			

Additional information

: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.. Do not allow material to contaminate ground water system. Do not empty into drains or the aquatic environment.. Danger of drinking-water pollution (ground water)

SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Regional legislation (waste)	: Waste disposal according to official state regulations.		
Waste materials	: Do not empty into drains; dispose of this material and its container in a safe way.		
European List of Waste (LoW) code	: 07 01 04* - other organic solvents, washing liquids and mother liquors		

SECTION 14: Transport information

In accordance with ADR / IMDG

ADR	IMDG	
14.1. UN number		
3295	3295	
14.2. UN proper shipping name		
HYDROCARBONS, LIQUID, N.O.S.	HYDROCARBONS, LIQUID, N.O.S.	
Transport document description		
UN 3295 HYDROCARBONS, LIQUID, N.O.S., 3, II, (D/E), ENVIRONMENTALLY HAZARDOUS	UN 3295 HYDROCARBONS, LIQUID, N.O.S., 3, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS	
14.3. Transport hazard class(es)	3	
<u>ی</u>	δ	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADR	IMDG	
14.4. Packing group		
П	Ш	
14.5. Environmental hazards		
Dangerous for the environment : Yes	Dangerous for the environment : Yes	
	Marine pollutant : Yes	
No supplementary information available		

14.6. Special precautions for user

- Overland transport		
Classification code (ADR)	: F1	
Limited quantities (ADR)	: 11	
Transport category (ADR)	: 2	
Hazard identification number (Kemler No.)	: 33	
Orange plates	33 3295	
Tunnel restriction code (ADR)	: D/E	
EAC code	: 3YE	
- Transport by sea		
Limited quantities (IMDG)	: 1L	
EmS-No. (Fire)	: F-E	
EmS-No. (Spillage)	: S-D	
	: S-D	Code

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions Brake Cleaner is not on the REACH Candidate List Brake Cleaner is not on the REACH Annex XIV List

VOC content

: 100 %

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
Carc. 1B	Carcinogenicity, Category 1B	
Flam. Liq. 2	Flammable liquids, Category 2	
Muta. 1B	Germ cell mutagenicity, Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis	
H225	Highly flammable liquid and vapour	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H340	May cause genetic defects.
H350	May cause cancer.
H411	Toxic to aquatic life with long lasting effects.

SDS MPM REACH

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product